

- Adopts frequency converter to control high pressure, running without ambient temperature influence;
- Use hot gas to defrost ice fast with the whole process takes only 150 seconds;
- Food grade ice machine certified by CE;
- Linksy patented water route technology effectively makes ice clean and crystal;
- Evaporator adopts SUS304 material which completely conforms with sanitary requirement;
- Specialized heat treatment processing technology makes the best use of heat conductibility;
- Highly efficient, safe, energy saving, durable and eco-friendly.

## Specification of Tube Ice Machine LIT-30W

ltem		Specification	Unit
Power supply		380V/3P/50Hz	Voltage/Phase/Frequency
Refrigerant		R22/R404A	
Daily capacity		3000kg/day	
Cooling mode		Water-cooled	
Standard condition	Ambient temperature	35	°C
	Water inlet temperature	25	$^{\circ}\!\mathrm{C}$
Operating power	Compressor	8.89	kw
	Cooling tower fan	0.18	kw

	Cold water pump	0.75	kw
	Ice cutter	0.55	kw
	Average total	9	kw
	Total install power	15	kw
Compressor	Refrigeration capacity	25.3	kw
	Condensing temperature	42	$^{\circ}\mathbb{C}$
	Evaporating temperature	-10	$^{\circ}\mathbb{C}$
	COP.	2.85	kw/kw
	Horse power	15	HP
Dimension	Net weight	795	Kg
	size	1550×925×2180	(L×W×H) (mm)
	Water supply pressure requirement	1~6	bar
Parts	Compressor	Bitzer, Germany	
	Expansion valve	ALCO, United States	
	Stop valve	DANFOSS, Denmark	
	Solenoid valve	DANFOSS, Denmark	
	Filter	ALCO, United States	
	Button/indicator	Schneider, France	
	Electrical	Schneider, France	
	PLC	SIEMENS, Germany	